

## Appendix E

<b>Farm 1</b>	<b><i>Location</i></b>	Johnstown, NY	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	yes
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 2</b>	<b><i>Location</i></b>	Ithaca, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	wood	<b><i>Foodscraps used?</i></b>	yes
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 3</b>	<b><i>Location</i></b>	Millerton, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	yes
	<b><i>Pade Type</i></b>	improved	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 4</b>	<b><i>Location</i></b>	Greenwich, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 5</b>	<b><i>Location</i></b>	South Onondaga, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	yes
	<b><i>Pade Type</i></b>	improved	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 6</b>	<b><i>Location</i></b>	Cazenovia, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	straw/hay	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		

## Appendix E

<b>Farm 7</b>	<b><i>Location</i></b>	Preble, NY	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	straw/hay	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Passively Aerated	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 8</b>	<b><i>Location</i></b>	Argyle, NY	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	straw/hay	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 9</b>	<b><i>Location</i></b>	Randolf, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	straw/hay	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	yes
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 10</b>	<b><i>Location</i></b>	Claverack, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 11</b>	<b><i>Location</i></b>	Claverack, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - unseparated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	yes
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 12</b>	<b><i>Location</i></b>	Copake Falls, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	yes
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	yes
	<b><i>Screened?</i></b>	no		

# Appendix E

<b>Farm 13</b>	<b><i>Location</i></b>	King Ferry, NY	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	concrete	<b><i>Copper Use on Farm?</i></b>	yes
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 14</b>	<b><i>Location</i></b>	???	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	yes
	<b><i>Turning Method</i></b>	Bucket Loader	<b><i>Johnes in Herd?</i></b>	yes
	<b><i>Screened?</i></b>	no		
<b>Farm 15</b>	<b><i>Location</i></b>	Candor, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	straw/hay	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	improved	<b><i>Copper Use on Farm?</i></b>	yes
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 16</b>	<b><i>Location</i></b>	Troy, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	mixed	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	yes
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 17</b>	<b><i>Location</i></b>	Palmyra, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	straw/hay	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	yes
	<b><i>Screened?</i></b>	no		
<b>Farm 18</b>	<b><i>Location</i></b>	Union Springs, NY	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	dairy - separated	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	manure	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	concrete	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Passively Aerated	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		

## Appendix E

<b>Farm 19</b>	<b><i>Location</i></b>	Monroe, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	poultry	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	none	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	concrete	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 20</b>	<b><i>Location</i></b>	Naples, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	poultry	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	none	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 21</b>	<b><i>Location</i></b>	Buskirk, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	poultry	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	none	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 22</b>	<b><i>Location</i></b>	Wolcott, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	poultry	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	none	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	concrete	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	yes		
<b>Farm 23</b>	<b><i>Location</i></b>	Jeffersonville, NY	<b><i>Turning Frequency</i></b>	high
	<b><i>Manure Type</i></b>	poultry	<b><i>Bulking Agent</i></b>	wood and bedding
	<b><i>Bedding Practice</i></b>	none	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Windrow Turner	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		
<b>Farm 24</b>	<b><i>Location</i></b>	Newark, NY	<b><i>Turning Frequency</i></b>	low
	<b><i>Manure Type</i></b>	poultry	<b><i>Bulking Agent</i></b>	straw
	<b><i>Bedding Practice</i></b>	none	<b><i>Foodscraps used?</i></b>	no
	<b><i>Pade Type</i></b>	dirt	<b><i>Copper Use on Farm?</i></b>	no
	<b><i>Turning Method</i></b>	Passively Aerated	<b><i>Johnes in Herd?</i></b>	no
	<b><i>Screened?</i></b>	no		

<b>Farm 25</b>	<b>Location</b>	Clarence, NY	<b>Turning Frequency</b>	high
	<b>Manure Type</b>	poultry	<b>Bulking Agent</b>	straw
	<b>Bedding Practice</b>	none	<b>Foodscraps used?</b>	no
	<b>Pade Type</b>	concrete	<b>Copper Use on Farm?</b>	no
	<b>Turning Method</b>	Windrow Turner	<b>Johnes in Herd?</b>	no
	<b>Screened?</b>	no		

## NYS Compost Marketing and Labeling Project - Participating Farms

*Cornell Waste Management Institute*

Updated April 16, 2003

